## PART B - FEE(S) TRANSMITTAL

INSTRUCTIONS: This form about be used for transmitting the ISSUE FEE and FUBLICATION FEE (if required). Blecks 1 through 5 should be completed where appropries. All further correspondence including the Prints, alvance orders and anotheration of maintenance few will be mailed to the current correspondence adverse and included unless corrected below or directed otherwise unliked, i.e., p. 1861. It, p. (2) appropriate and other another propries and the correspondence adverse as expenser FEE ANDERSS\* for the correct prints of the correct prints of

Complete and send this form, together with applicable fee(s), to: Mall
Commissioner for Patents
P.O. Box Lexandria, Virginia 22313-1450
or Ext

		ivis I for any change of address)	Note: A certificate of multing can only be used for domestic mellings. Pre(s) framewing. This certificate dates of the used for we domestic mellings. Pre(s) framewing. This certificate dates the used for any other large present the control of the			ox any other accompany
	VASCULAR, IN ARTMENT PLACE	v2016 C.				deposited with the Unit t class mail is an envelo above, or being facaim ate indicated below,
				Wal-	30,2010	(Ngsan
APPLICATION NO.	FILING DATE		FIRST NAMED INVENTOR	Triarca A	TORNEY DOCKET NO.	CONFERMATION NO.
10/718,638	11/24/2093		Nareak Douk	WAY	P1714	1187
APEN TYPE	BMALL ENTITY	AL PROTECTION DEV	PUBLICATION PER DUE	PREV. FAID ISSUE F	E TOTAL PERS) DATE	DATE DUE
heaptovisional	No	\$1510	\$300	\$0	\$1816	06/24/2010
EXAMPLE		ARTUNET	CLASS-SUBCLASS	1		
KOEHLER, CHRISTOPHER M		3726	929-447000	4		
Change of corresponder FR 1.353).	nce address or indication adence address (or Cha /132) attached.		2. For printing on the p (1) the manner of up to or agents OR, absertati	3 revietent patent a	someys L	

3. ASSIGNEE NAME AND RESIDENCE DATA TO BE PRINTED ON THE PATENT (print or type)

PLEASE NOTE: Unless so assignee is identified below, no assignee data will appear on the patent. If an assignee is identified below, the document has been filled for recordation as set forth in 37 CFR 3.11. Completion of this form is NOT a substitute for filling an analgument. (A) NAME OF ASSIGNEE

(B) RESIDENCE: (CITY MASTATE OR COUNTRY)
Santa Resa, Colitornia USA Medtronic Vascular, Inc.

Please check the appeopriate assigner category or categories (will act be printed on the patent): 🔍 Individual ACcorporation or other private group entity 🔾 Gov

4a. The following feet(s) are submitted:  Lause Pen  Gradic-index feet(s) are submitted:  Advance Order - # of Copies	4b. Peyment of Pec(s); (Please Erst respekt seep gravitessity gold issue for shown above)  Q. A check is enclosed.  Drymont by credit cast. Form PTO-5038 is studed.  She Director is hereby sundexted to charge the propingl dige(s), say deficiency, or ordin any energy-sense, to Deposit A county. Number (J. I
Change in Eastly States (from status indicated above)     La. Applicant claims SMALL ENTITY status. See 37 CFR 1.27.	Q b. Applicant is no longer claiming SMALL ENTITY status. See 37 CFR 1.27(g)(2).
interest as shown by the records of the United States Patent and Tradest	
Authorized Signature James F. Criticals. Typed or printed merce James F. Critterden	30 March 2010
Typed or printed more James F. Crittenden	Registration No. 39, 560
This collection of information is required by 37 CFR 1.311. The inform as application. Confidentiality is governed by 35 U.S.C. 122 and 37 C trabeniting the completed application form so the USPTO. These will what form audion suggestions for reducing this burden, should be sent in	action is required to obtain or restain a beneaft by the pathic which is to file (end by the UNFTC to process FR. 14. This collection is estimated to take II minutes to complete, incidently gatherine, propering, as any demanding upon the individual case. Any comments on the amount of time you require to complete the Calori Foremation Offices, U.S. Patest and Transcente Orline, U.S. Department of Company.

Box 1450, Alexandria, Virginia J Alexandria, Virginia 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.